





















## Satimat Green

### Product Range

Digital Products :: HP Indigo :: Coated Papers :: Recycled Papers :: Silk & Satin

Satimat Green is a matt coated paper, FSC certified and 60% recycled, ensuring a reduced impact on the environment. The combined fibre combination offers very high whiteness (CIE 124) and excellent printing results with good drying time for high productivity.

Guarantees:	Environment:
 OHSAS 18001  ISO 9001  DIN 6738	 Recycled 60%  EU Eco Label  Heavy Metals  FSC  ISO14001  Reach Compliant  PCF
Green Star System:	Packaging:
 5 Stars	 Ream  Twin Pallet  Bulk Packed
Type of Printing:	
 Hp Indigo Certified  Embossing  Guiding  Silk Screen  Dry Toner  Offset	

The 28/09/2021 - Satimat Green - Updated on 27/09/2021

Non contractual Information

**Key Features**

- Ensuring a low impact on environment: 60% recycled fibres, FSC certified, EU Ecolabel
- Same whiteness and printed results as virgin fibre papers
- Perfect printability
- Suitable for Digital printing: HP Indigo certified and compatible on dry toner digital presses
- Fast drying time
- Silk and velvety surface

**What can it be used for?**

Brochures, magazines, folders, catalogues and advertising materials such as inserts and direct mailings.

**Relevant Techniques**

- Printing: Offset litho, letterpress, silkscreen, suitable for most digital press systems, certified HP Indigo 3\*.
- Printing inks: conventional, UV, IR.
- Finishing & converting: Foil blocking, embossing, lamination, all varnishing, perforating, die cutting.

**Guarantees**

- ISO 9001 - HP Indigo certification

**Additional Features**

Coated paper, FSC certified, produced from 60% recycled fibre and 40% virgin fibre

**Environmental Information**

FSC TM certified

ISO14001 Environmental Certificate

Elemental Chlorine Free (ECF)

Fully Recyclable

Digital Products :: HP Indigo :: Coated Papers :: Recycled Papers :: Silk & Satin

**Setup**

Store at room temperature (17-23°C), at a relative humidity of 50%, from 24 to 48 hours before use.

Unwrap the paper at the last moment before printing and rewrap it immediately after the print run.

For re-cutting:

- keep the paper fibre direction (// of the large size) perpendicular to the printing direction.
- For grammages > 135 gsm, plan a rejection cut.

**Pre-printing**

Large printed surface: under colour-removal recommended.

Intense full colours:

- for black colour, blue support (40%) recommended or two black sequences.
- for other colours, 1 or several colour support(s).

**Printing**

Offset litho, letterpress, silkscreen, suitable for most digital press systems, certified HP Indigo 3\*.

Printing inks: conventional, UV, IR.

**Finishing**

Foil blocking, embossing, lamination, all varnishing.

**Forming**

Suitable for perforating, drilling, die cutting.

Folding: parallel to the paper fibre direction (// of the large size).

Scoring : from 150 gsm, scoring with counterpart; from 200 gsm, larger scoring needed on the back of the fold.

Cutting: ensure that the blade of the guillotine is sharp enough to avoid dust deposits.

**Storage Recommendations**

Protect the paper against any risk of damp during the storage period.