



- NOTES:
1. MARKING ACCORDING TO PROCEDURE MRK-23130
 2. MATERIAL CERTIFICATE 3.1B EN 10204 IS REQUIRED
 3. MAGNETIC PERMEABILITY $\mu_r \leq 1.05$

AISI 316L	2,08 kg
MATERIALE Material	MASSA [kg] Mass [kg]

TOLLERANZE GENERALI	< 6	6-30	30-120	120-400	400-1000	>1000	< 10	10-50	50-120	120-400	> 400
General tolerances	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±1°	±0°30'	±0°20'	±0°10'	±0°5'
	UNI EN ISO 22768 - fH	<input checked="" type="checkbox"/>									
	UNI EN ISO 22768 - mK	<input type="checkbox"/>									

	A TERMINI DI LEGGE CI RISERVIAMO LA PROPRIETA' DI QUESTO DISEGNO CON DIVIETO DI RIPRODURLO O DI RENDERLO COMUNE NOTO A TERZI SENZA LA NOSTRA AUTORIZZAZIONE AS BY LAW ENACTED WE RESERVE THE RIGHT OF OWNERSHIP OF DRAWING. THE DOCUMENT AND INFORMATION CONTAINED HEREIN MAY NOT BY COPIED USED OR DISCLOSED WITHOUT OUR PERMISSION	SPIGOLI NON QUOTATI ISO 13715 Edges of undefined shape ISO 13715	-0.2 +0.2	
	SIMBOLI DI RUGOSITA' ISO 1302 Symbols for roughness ISO 1302	DISEGNATO Draw	DANIELE EBRI	08/11/2023
	SCALA Scale	VERIFICATO Controlled	MARCO CANETTI	08/11/2023
FORMATO Size	A3	APPROVATO Released	ANTONIO CORSI	08/11/2023

DESCRIZIONE Description	SPECIAL WELD FLANGE DN160CF FIXED	23130-3-12	REVISIONE Revision	A
----------------------------	-----------------------------------	-------------------	-----------------------	----------